

*CenoBots*

AI-Powered  
Scrubber-dryer  
Robot



CenoBots L50

## Superior cleaning productivity and performance

The Cenobots L50 provides exceptional cleaning productivity and performance, making it an excellent cleaning partner. Equipped with a 55 L/14.5 gal water tank, a water recycling system and a 120Ah capacity battery, this scrubber can efficiently cover a larger surface area in less time. Its high pad pressure ensures comprehensive and effective cleanliness, making it a reliable cleaning solution for all types of cleaning tasks. With a full coverage productivity of 2203m<sup>2</sup>/23713ft<sup>2</sup> per hour, this scrubber is perfect for a wide range of commercial spaces, regard-less of their size.



## Human-like intelligent cleaning

The Cenobots L50 is equipped with the latest and most advanced 3D lidar technology and the most powerful AI computing chip, enabling it to achieve intelligent cleaning that is truly comparable to a human's. Furthermore, the L50 can operate at a distance of <5cm from the wall and adapt its mapping to the environment, allowing it to optimize its cleaning route and increase efficiency.

## Hassle-free after sale service

Thanks to its strong mapping capabilities and advanced algorithms, the Cenobots L50 can adjust to changes in the environment without any need for human intervention. In addition, with free OTA updates, software updates can be easily performed without the need for a technician to come on-site. This convenient after-sale service ensures that the scrubber robot is always up-to-date and can provide dependable and effective cleaning solutions for its users.

## Key Features

### Built to last

The Cenobots L50 has undergone thorough testing and has been manufactured using the rotational molding process and well-trained components. As a result, it is capable of withstanding wear and tear, ensuring that it can operate reliably and durably over an extended period of time.

### High level of safety

Equipped with multiple sensors and a three-dimensional, 360-degree comprehensive safety protection system, this scrubber offers a high level of safety.

### Easy to maintain

The Cenobots L50 is easy to maintain, thanks to its automatic refill and drain water system, as well as its charge and discharge capabilities, which are accessible through the one-stop service docking station. Furthermore, its modular components and intuitive interior design make it very easy to perform maintenance and troubleshooting tasks.



# Specifications

## DIMENSIONS

Length	1030mm   40.6 in
Width (w/o squeegee)	580mm   22.8 in
Height	1045mm   41.1 in
Weight	220 kg   485 lbs
Cleaning Width	510mm   20 in
Squeegee Width	770mm   30.3 in / <u>840mm   33.1 in*</u>

## CLEANING

Max. Theoretical Productivity	2203m <sup>2</sup> /hr   23713 ft <sup>2</sup> /hr
Brush Pressure	25 kg   55.1 lbs
Disk Brush Speed	220 RPM
Clean Water Tank Capacity	55 L   14.5 gal
Waste Water Tank Capacity	55 L   14.5 gal

## MOVEMENT

Max. Speed	1.2m/s   2.68 mph
Min. Distance from Wall	<50mm   2 in
Min. Passable Width	900mm   35.4 in / <u>940mm   37 in*</u>
Gradeability	6°

## POWER

Battery Type	Lithium Iron Phosphate
Battery Capacity	120 Ah
Rated Voltage	24 VDC
Charging Time	4 hours
Max. Runtime	6 hours

## SENSING

3D LiDAR, 3D Depth Camera, Ultrasonic Sensor, Bumper Sensor

## SOUND PRESSURE LEVEL

At least as 67 dB(A)

## KEY COMPONENTS FOR AI

### Process Chip

Nvidia Xavier AI edge computing chips with up to 32 TOPS AI performance

### Mapping Sensor

3D LiDAR with 150m detection range

\* Standard Option

## CenoBots

**HQ:** 140 Robinson Rd, Singapore, 068907

**USA:** 815 Brazos St, Austin, Texas, 78701

**Website:** [www.cenobots.com](http://www.cenobots.com)

**Email:** [info@cenobots.com](mailto:info@cenobots.com)



Search: CenoBots

@CenoBots