

∞ SANITARY  
2011 MAINTENANCE  
PRODUCTS  
2 CATALOG

 **san jamar**<sup>®</sup>  
smart. safe. sanitary.

# SAN JAMAR IS NOW A PART OF CARLISLE FOODSERVICE PRODUCTS.

Together Carlisle FoodService Products (CFSP) and San Jamar manufacture and market comprehensive solutions for the restaurant, hospitality, healthcare, sanitary, janitorial, waste and material handling product segments. We work with our customers to find the small changes that make big improvements in safety and efficiency.

Learn more about Carlisle FoodService Products at [www.carlislefsp.com](http://www.carlislefsp.com).



P A G E **Washroom & Hygiene Solutions**

4	Towel Dispensers
11	Tissue Dispensers
16	Soap and Other Dispensers
20	Air Care
22	Napkin Dispensers

## WHY UNIVERSAL TOWEL & TISSUE? THE ANSWER IS SIMPLE.

**San Jamar can save you up to 50% on paper by giving you freedom of choice.**

San Jamar offers state-of-the-art dispenser technology and the ability to source the paper you need.

**WITH SAN JAMAR  
DISPENSERS YOU**

- Control your paper program
- Choose paper cost/quality
- Determine contract length
- Determine paper supplier

What your paper source might not be telling you:

- You can get the best new touchless dispensing technology without signing a paper company contract.
- Paper company contracts often subsidize the initial dispenser cost by charging more for the paper over and over again throughout the life of the contract.

Visit [www.sometimesfreeisnt.com](http://www.sometimesfreeisnt.com) to calculate your savings

### MAKE IT YOURS!

With San Jamar's Free & Flexible custom logo program

- No Upcharge
- Low Minimums
- Fast Turn Around





FAMILY OF DISPENSERS

# THE SUMMIT™ FAMILY IS GROWING

BLACK/STAINLESS LOOK



T1470BKSS Smart System | T1370BKSS Tear-N-Dry | T7470BKSS Simplicity Essence | R4070BKSS 9" JBT | R3670BKSS Versatwin® | S(F)H970BKSS Rely® Hybrid Soap | S(F)970BKSS Rely® Manual Soap | WP9070BKSS Summit™ Arriba™ Twist Passive

STAINLESS LOOK



T1470SS Smart System | T1370SS Tear-N-Dry | T7470SS Simplicity Essence | R4070SS 9" JBT | R3670SS Versatwin® | S(F)H970SS Rely® Hybrid Soap | S(F)970SS Rely® Manual Soap | WP9070SS Summit™ Arriba™ Twist Passive

WHITE/CLEAR



T1470WHCL Smart System | T1370WHCL Tear-N-Dry | T7470WHCL Simplicity Essence | R4070WHCL 9" JBT | R3670WHCL Versatwin® | S(F)H970WHCL Rely® Hybrid Soap | S(F)970WHCL Rely® Manual Soap | WP9070WHCL Summit™ Arriba™ Twist Passive

## SUMMIT™ FAMILY CUSTOM OPTIONS

Visit [Sanjamar.com/Summit](http://Sanjamar.com/Summit) to design your own dispenser and washroom. Or, go to the Apple or Android App Store to download our Summit™ App. See how Summit™ products fit in your Washroom.

12 PRE-APPROVED COLORS FOR BACK, COVER & SHIELD



Custom items have minimum purchase of 50 each.  
Call us to order. 1-800-248-9826 ext. 5109



Artwork can be molded into shield



# NEW PRODUCT INNOVATIONS FROM SAN JAMAR COMING IN 2018



**Classic Simplicity Essence**  
T7400TBK

AVAILABLE JANUARY 2018



**Classic & Summit™ Hybrid  
Electronic Roll Towel**  
T8300TBK, T8370BKSS,  
T8370SS, T8370WHCL

AVAILABLE MAY 2018



**Kleen Keeper™ Wipes Bracket**  
WD1010TP, WD1010WH,  
WD1010BKSS

AVAILABLE MAY 2018



**Summit™ Folded Towel**  
T1770BKSS, T1770SS,  
T1770WHCL

AVAILABLE JUNE 2018



**Oceans Simplicity Essence**  
T7490TBK

AVAILABLE JUNE 2018



**Summit™ 9" JBT**  
R2070BKSS, R2070SS,  
R2070WHCL

AVAILABLE JUNE 2018



**Summit™ Lever**  
T970BKSS, T970SS,  
T970WHCL

AVAILABLE OCTOBER 2018

# COMING IN 2018



# TOWEL DISPENSERS

## TOUCHLESS DISPENSERS

- Touchless towel dispensers offer the best option for sanitary hand hygiene
- San Jamar leads the industry in Universal Touchless Electronic dispensing with five options: Smart Essence™, Tear-N-Dry Essence, Recessed Roll Towel, Smart System with I.Q. Sensor™, and the Tear-N-Dry. Each of these durable dispensers offer:
  - Best battery life in industry
  - Fast, reliable performance
  - Dispensing all types of 8" roll towel paper up to 800' – any brand or quality

FEATURES STATE OF ART MECHANICAL HANDS-FREE DISPENSING

## Simplicity Essence Hands-Free Mechanical **NEW**

- Offers hands-free dispensing of most types of roll towel
- No batteries for easy maintenance
- Dispenses 10" (254 mm) portions of towel for 15% more dries per roll



T7470BKSS

T7400TBK

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T7400*	TBK	8" (200 mm) wide roll	1½" (38 mm)	14½" x 12¾" x 9½" (371 x 314 x 241 mm)
SUMMIT™ STYLE				
T7470*	BKSS, SS, TBK, WHCL, CUSTOM	8" (200 mm) wide roll	1½" (38 mm)	16½" x 12¾" x 9½" (368 x 314 x 232 mm)



## Smart System WITH I.Q. SENSOR™

- Adjustable paper length (8", 12", 16") and delay (0, 1½, 3 seconds)
- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module



T1400TBL

T1470SS

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T1400*	TBL, TBK	8" (200 mm) wide roll dia. and 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
T1400TBKHW**	TBK	8" (200 mm) wide roll dia. and 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
OCEANS® STYLE				
T1490*	TBL, TBK	8" (200 mm) wide roll dia. and 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
SUMMIT™ STYLE <b>NEW</b>				
T1470*	BKSS, SS, WHCL, Custom	8" (200 mm) wide roll dia. and 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 12½" x 9¼" (410 x 311 x 248 mm)

Requires 4 D-cell alkaline batteries | \*\*Includes hand washing sticker



## Smart Essence™

- Adjustable paper length (8", 12", 16") and delay (0, 1½, 3 seconds)
- Compact, high capacity
- Durable and economical

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
<b>CLASSIC STYLE</b>				
T8400*	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	14 <sup>7</sup> / <sub>16</sub> " x 11 <sup>3</sup> / <sub>4</sub> " x 9 <sup>1</sup> / <sub>8</sub> " (367 x 298 x 232 mm)
<b>OCEANS® STYLE</b>				
T8490*	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	14 <sup>7</sup> / <sub>16</sub> " x 11 <sup>3</sup> / <sub>4</sub> " x 9 <sup>1</sup> / <sub>8</sub> " (367 x 298 x 232 mm)

Requires 4 D-cell alkaline batteries



T8400TBL

T8490TBK

## Hybrid Roll Towel

- Touchless electronic towel dispensing
- Adjustable paper length (8", 12", 16") and delay (0, 1½, 3 seconds)
- Manual "Push" bar operation when batteries are low

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
<b>CLASSIC STYLE</b>				
T8300TBK	TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	16½" x 13" x 9¼" (419 x 330 x 235 mm)
<b>SUMMIT™ STYLE <span style="color: blue;">NEW</span></b>				
T8370*	BKSS, SS, WHCL, Custom	(1) 8" (200 mm) wide roll	1½" (38 mm)	16½" x 13" x 9¼" (419 x 330 x 235 mm)

Requires 4 D-cell alkaline batteries



T8300TBK

T8370BKSS

## Tear-N-Dry

- Consistently dispenses standard 10" length paper without a wait
- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
<b>CLASSIC STYLE</b>				
T1300*	TBL, TBK	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
<b>OCEANS® STYLE</b>				
T1390*	TBL, TBK	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
<b>SUMMIT™ STYLE <span style="color: blue;">NEW</span></b>				
T1370*	BKSS, SS, Custom	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16 <sup>1</sup> / <sub>16</sub> " x 12 <sup>11</sup> / <sub>16</sub> " x 9 <sup>3</sup> / <sub>4</sub> " (410 x 311 x 248 mm)
<b>SUMMIT™ WITH AD INSERT <span style="color: blue;">NEW</span></b>				
T1370WHCLAI	WHCL	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16 <sup>1</sup> / <sub>16</sub> " x 12 <sup>11</sup> / <sub>16</sub> " x 9 <sup>3</sup> / <sub>4</sub> " (410 x 311 x 248 mm)
T1370BKBKCLAI	BKBKCL	8" (200 mm) wide roll dia. and 3.5" (100 mm) dia. stub roll	1½" (38 mm)	16 <sup>1</sup> / <sub>16</sub> " x 12 <sup>11</sup> / <sub>16</sub> " x 9 <sup>3</sup> / <sub>4</sub> " (410 x 311 x 248 mm)

Requires 4 D-cell alkaline batteries



T1300TBK

T1370BKSS

T1370WHCLAI

\* Specify desired color after item number. Example: T8400TBL

TBL	TBK	BKSS	SS	WHCL
Arctic Blue	Black Pearl	Black/ Stainless Look	Stainless Steel Look	White/ Clear

TOUCHLESS DISPENSERS



### Tear-N-Dry Essence

- Consistently dispenses standard 10" length paper without a wait
- Compact, high capacity
- Durable and economical

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T8000*	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16" x 11¾" x 9⅞" (367 x 298 x 232 mm)
OCEANS® STYLE				
T8090*	TBL, TBK	(1) 8" (200 mm) wide roll	1½" (38 mm)	147/16" x 11¾" x 9⅞" (367 x 298 x 232 mm)

Requires 4 D-cell alkaline batteries



### Recessed Roll Towel **NEW**

- ADA (6" diameter rolls) or Universal (8" diameter rolls) installations available
- Available for Built-in or retrofit installations
- Two operating systems: Tear-N-Dry System or Smart System



Item	Color	Capacity	Core Diameter	Dimensions H x W x D
TEAR-N-DRY SYSTEM				
T8006BKADA	Black	6" (152 mm) wide roll dia.	1½" (38 mm)	17⅞" x 14½" x 7⅞" (448 x 368 x 187 mm) 3½" (89 mm) off the wall
T8008BKUNV	Black	8" (203 mm) wide roll dia.	1½" (38 mm)	17⅞" x 14½" x 9⅞" (448 x 368 x 238 mm) 5" (127 mm) off the wall
SMART SYSTEM				
T8406SSADA	Stainless Look	6" (152 mm) wide roll dia.	1½" (38 mm)	17⅞" x 14½" x 7⅞" (448 x 368 x 187 mm) 3½" (89 mm) off the wall
T8408SSUNV	Stainless Look	8" (203 mm) wide roll dia.	1½" (38 mm)	17⅞" H x 14½" W x 9⅞" D (448 x 368 x 238 mm) 5" (127 mm) off the wall

Requires 4 D-cell alkaline batteries



### Simplicity Hands-Free Mechanical

- Does not require batteries
- Offers hands-free dispensing for most types of towel
- Automatic mechanical cutting dispenses 11" (279 mm) portions of roll towel
- Replaceable drive module

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T7000*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)
OCEANS® STYLE				
T7090*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" (100 mm) dia. stub roll	1½" (38 mm)	16½" x 11¾" x 9¼" (419 x 298 x 235 mm)





# CENTERPULL

- San Jamar's Centerpull Dispensers provide a hygienic hand drying experience
- Universal design has an adjustable funnel accommodating a variety of paper grades from single ply to industrial wipes
- Reduce maintenance costs with an easy to use, economical dispenser

## Adjustable Centerpull Towel

- Easy to adjust funnel
- High capacity (9" diameter roll)
- Universal centerpull dispenser, adjusts for all grades of paper from Single-ply to industrial wipes

Item	Color	Capacity	Dimensions H x W x D
T410*	TBL, TBK	9" (241 mm) wide; 9" (241 mm) dia. roll	13 $\frac{3}{8}$ " x 9 $\frac{5}{8}$ " x 9 $\frac{3}{8}$ " (340 x 244 x 238 mm)

Construction: Impact resistant plastic



T410TBK

## Adjustable Mini Centerpull Towel

- Easy to adjust funnel
- Compact (6" diameter roll)
- Universal centerpull dispenser, adjusts for all grades of paper from Single-ply to industrial wipes

Item	Color	Capacity	Dimensions H x W x D
T450*	TBL, TBK	6" (152 mm) dia. roll	12 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ " x 7 $\frac{3}{8}$ " (314 x 190 x 187 mm)

Construction: Impact resistant plastic



T450TBL

## Centerpull Towel

- Large capacity ensures long intervals between refills
- Dispenses single sheets of single-ply perforated towels

Item	Color	Capacity	Dimensions H x W x D
T400*	TBL, TBK	9" (241 mm) wide; 9" (241 mm) dia. roll	11 $\frac{1}{8}$ " x 9 $\frac{1}{8}$ " x 9 $\frac{1}{2}$ " (295 x 232 x 241 mm)

Construction: Impact resistant plastic



T400TBK

## Perforated Roll Towel

Item	Color	Capacity	Dimensions H x W x D
T451XC	XC	11" (280 mm) wide roll	2 $\frac{7}{8}$ " x 13 $\frac{3}{4}$ " x 4 $\frac{5}{8}$ " (73 x 337 x 117 mm)

Construction: 24-gauge steel



\* Specify desired color after item number. Example: T400TBL



## TOUCH ROLL TOWEL

- San Jamar's Universal Touch Roll Towel dispensers are the lowest cost way to dispense the lowest cost paper, hardwound roll towel
- Simple, intuitive designs
- Engineered for ease of use and minimal maintenance
- Impact resistant plastic for durability



T950TBL



T1190TBL



T1100TBK



T850TBL



## Element™ Lever Roll Towel

- Compact, high capacity - 33% smaller than average roll towel dispenser
- Ergonomic handle; simple, efficient & easy to use
- Accepts any core size, including coreless, solid & centerpull rolls

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T950*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll	All paper qualities with any size core	12¾" x 12½" x 8½" (324 x 318 x 216 mm)
OCEANS® STYLE				
T990*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll	All paper qualities with any size core	12¾" x 12½" x 8½" (324 x 318 x 216 mm)

Construction: Impact resistant plastic

## Lever Roll Towel WITH AUTO TRANSFER

- Infinity System® automatic transfer system eliminates stub roll waste
- Replaceable drive module
- Simple, efficient & easy to use

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
T1100*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" dia. (100 mm) stub roll	1½" (38 mm)	16½" x 12 <sup>15</sup> / <sub>16</sub> " x 9¼" (419 x 329 x 235 mm)
OCEANS® STYLE				
T1190*	TBL, TBK	8" (200 mm) wide; 8" (200 mm) dia. roll Up to 4" dia. (100 mm) stub roll	1½" (38 mm)	16½" x 12 <sup>15</sup> / <sub>16</sub> " x 9¼" (419 x 329 x 235 mm)

Construction: Impact resistant plastic

## Integra™ Lever Roll Towel

- Integrated dispensing arm for hands-free alternative dispensing
- Compact, high capacity
- Accepts any core size, including coreless, solid and centerpull rolls

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
T850*	TBL, TBK	8½" (215 mm) dia. 8¾" (209 mm) wide	All paper qualities with any size core	13½" x 11½" x 11¼" (342 x 292 x 285 mm)

Construction: Impact resistant plastic

## Crank Roll Towel

Item	Color	Capacity	Dimensions H x W x D
T800WH	WH	9" (230 mm) wide roll; 7¾" (197 mm) dia. roll	10½" x 11" x 8½" (267 x 279 x 216 mm)

Construction: 20-gauge steel

## FOLDED TOWEL

Another great solution to touchless dispensing are San Jamar's folded towel dispensers. Our patented Ultrafold™ line saves dramatically on towel waste with smooth, one-at-a-time dispensing every time. Ultrafold™ dispensers are:

- Available in a variety of sizes for either compact or high capacity applications
- Designed to dispense any brand or quality of C-Fold or Multifold towels one-at-a-time, reducing waste
- Designed to eliminate over-stuffing
- Constructed of impact resistant plastic

## Summit™ Ultrafold Multifold/C-Fold Towel **NEW**

- New Summit design coordinates with Summit family
- Designed to eliminate overstuffing

Item	Color	Capacity	Dimensions H x W x D
T1770*	BKSS, SS, WHCL, CUSTOM	500 Multifold / 300 C-Fold	14" x 11" x 6" (356 x 279 x 152 mm)

Construction: Impact resistant plastic



T1770BKSS

## Ultrafold™ Fusion™ Multifold/C-Fold Towel

- 50% smaller carton to save on warehouse and transportation costs
- Simple, 6 piece assembly

Item	Color	Capacity	Dimensions H x W x D
T1755*	TBL, TBK	400 Multifold / 240 C-Fold	11½" x 11½" x 6" (292 x 292 x 152 mm)

Construction: Impact resistant plastic



T1755TBK

## Ultrafold™ Multifold/C-Fold Towel

- Compact
- Saves money with less towel waste

Item	Color	Capacity	Dimensions H x W x D
CLASSIC STYLE			
T1750*	TBL, TBK	400 Multifold / 240 C-Fold	11½" x 11½" x 6" (292 x 292 x 152 mm)
OCEANS® STYLE			
T1759*	TBL, TBK	400 Multifold / 240 C-Fold	11½" x 11½" x 6" (292 x 292 x 152 mm)

Construction: Impact resistant plastic



T1750TBL



T1759TBK

## Large Capacity Ultrafold™ Multifold/C-Fold Towel

- High capacity, reduces need to refill frequently
- 50% more capacity than standard folded towel cabinets

Item	Color	Capacity	Dimensions H x W x D
CLASSIC STYLE			
T1700*	TBL, TBK	750 Multifold / 450 C-Fold	18" x 11¾" x 6¼" (475 x 298 x 159 mm)
OCEANS® STYLE			
T1790*	TBL, TBK	750 Multifold / 450 C-Fold	18" x 11¾" x 6¼" (475 x 298 x 159 mm)

Construction: Impact resistant plastic



T1700TBK



T1790TBL

\* Specify desired color after item number. Example: T1770BKSS



Arctic Blue



Black Pearl



Black/  
Stainless  
Look



Stainless  
Steel Look



White/  
Clear

FOLDED TOWEL



T1720TBK

## Countertop Towel

- Compact, ideal for spaces where wall mount dispensers are not an option
- Protects against moisture and contaminates

Item	Color	Capacity	Dimensions H x W x D
T1720*	TBL, TBK	(1) Stack Multifold/C-fold/Singlefold	7" x 11" x 4 $\frac{3}{8}$ " (178 x 279 x 111 mm)

Construction: Impact resistant plastic



T1905XC

## True Fold™ C-Fold/Multifold Towel

- Operator-friendly flip door eliminates towel waste

Item	Color	Capacity	Dimensions H x W x D
T1905*	XC, WH	500 Multifold / 300 C-fold	14 $\frac{1}{2}$ " x 11 $\frac{5}{8}$ " x 5" (368 x 295 x 127 mm)

Construction: metal front/impact resistant plastic back



T1900XC

## C-Fold/Multifold Towel

Item	Color	Capacity	Dimensions H x W x D
T1900*	XC, SS	500 Multifold / 300 C-fold	14 $\frac{3}{4}$ " x 11 $\frac{3}{8}$ " x 4" (375 x 289 x 102 mm)

Construction: 20-gauge steel



T1950XC

## Mini C-Fold/Multifold Towel

Item	Color	Capacity	Dimensions H x W x D
T1950XC	XC	250 Multifold / 150 C-fold	7 $\frac{7}{8}$ " x 11 $\frac{3}{8}$ " x 3 $\frac{3}{8}$ " (200 x 283 x 98 mm)

Construction: 20-gauge steel



T1800XC

## Singlefold Towel

Item	Color	Capacity	Dimensions H x W x D
T1800*	XC, WH	500 Singlefold	7 $\frac{1}{2}$ " x 10 $\frac{3}{4}$ " x 6" (191 x 273 x 152 mm)

Construction: 20-gauge steel



# TISSUE DISPENSERS

## STANDARD BATH TISSUE

- Standard bath tissue dispensers offer a professional looking solution for dispensing both standard or industrial bath tissue




## Versatwin® Tissue

- Accepts standard/industrial bath tissue
- Continual availability of paper provided by the Infinity System®, eliminating stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
<b>CLASSIC STYLE</b>				
R3600*	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	8" x 12¾" x 5¾" (203 x 34 x 146 mm)
<b>OCEANS® STYLE</b>				
R3690*	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	8" x 12¾" x 5¾" (203 x 34 x 146 mm)
<b>SUMMIT STYLE <i>NEW</i></b>				
R3670*	BKSS, SS, WHCL, CUSTOM	(2) 4½-5½" (115-140 mm) rolls	Min. 1½" (38 mm)	7¾" x 12⅞" x 5⅞" (196 x 328 x 149 mm)

\* Specify desired color after item number. Example: R3600TBL





## STANDARD BATH TISSUE



R3500TBK



R3590TBL

### Duett Standard Bath Tissue

- Accepts standard/industrial bath tissue
- Continual availability of paper provided by the Infinity System<sup>®</sup>, eliminating stub roll waste
- Compact design

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
<b>CLASSIC STYLE</b>				
R3500*	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	1½" (40 mm)	12¾" x 7½" x 7" (324 x 191 x 178 mm)
<b>OCEANS<sup>®</sup> STYLE</b>				
R3590*	TBL, TBK	(2) 4½-5½" (115-140 mm) rolls	1½" (40 mm)	12¾" x 7½" x 7" (324 x 191 x 178 mm)

Construction: Impact resistant plastic



R3800TBK

### 4-Station Carousel

- Multiple roll system to reduce run-outs and waste
- High capacity, holds four 5" rolls of standard bath tissue
- Uses rolls sequentially to eliminate stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
R3800TBK	TBK	(4) standard rolls	Min. 1½" (38 mm)	14¾" x 13¾" x 6½" (378 x 333 x 156 mm)

Construction: Impact resistant plastic



R1500XC

### Covered Reserve Roll Tissue

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
R1500*	XC, WH	(2) standard rolls	Min. 1½" (38 mm)	6" x 10" x 6¼" (152 x 254 x 159 mm)

Construction: 20-gauge steel

## Locking Toilet Tissue

- Accommodates 4" (102 mm) wide roll

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
R200XC	XC	(1) standard rolls	Min. 1½" (38 mm)	2¾" x 6" x 4½" (70 x 152 x 114 mm)
R260XC	XC	(2) standard rolls	Min. 1½" (38 mm)	2¾" x 12¾" x 4½" (70 x 314 x 114 mm)

Construction: 20-gauge steel



## Non-Locking Toilet Tissue

- Accommodates 4.5" (114 mm) wide roll

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
R1200XC	XC	(1) standard rolls	Min. 1½" (38 mm)	2½" x 6¼" x 4⅞" (64x 159 x 124 mm)

Construction: 20-gauge steel



\* Specify desired color after item number. Example: R3500TBL

TBL	TBK	WH	XC
Arctic Blue	Black Pearl	White	Chrome

# JUMBO BATH TISSUE



R4000TBL



R4070WHCL



R3000TBK



R3090TBL

## Twin 9" JBT

- Industry leading dispenser
- Continual availability of paper provided by the Infinity System<sup>®</sup>, eliminating stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R4000*	TBL, TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12" x 19" x 5¼" (305 x 483 x 133 mm)
OCEANS <sup>®</sup> STYLE				
R4090*	TBL, TBK	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	12" x 19" x 5¼" (305 x 483 x 133 mm)
SUMMIT™ STYLE <b>NEW</b>				
R4070*	BKSS, SS, WHCL, Custom	(2) 9" (230 mm) JBT rolls	Min. 3¼" (83 mm)	11 <sup>9</sup> / <sub>10</sub> " x 20 <sup>1</sup> / <sub>14</sub> " x 5 <sup>7</sup> / <sub>8</sub> " (300 x 514 x 149 mm)

Construction: Impact resistant plastic

## Twin 10" JBT

- High capacity dispensing of toilet tissue for high traffic environments
- Continual availability of paper provided by the Infinity System<sup>®</sup>, eliminating stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R5000*	TBK	(2) 10" (254 mm) JBT rolls	Min. 3¼" (83 mm)	13.24" x 21.72" x 5¼" (336 x 552 x 141 mm)

Construction: Impact resistant plastic

## Reserva<sup>®</sup> 9"-10½" JBT

- Holds one 9-10½" (230-270 mm) jumbo bath roll and one 5" (127 mm) single stub roll
- Continual availability of paper provided by the Infinity System<sup>®</sup>, eliminating stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R3000*	TBL, TBK	(1) 9-10½" (230-270 mm) JBT roll (1) 5" (127 mm) stub roll	Min. 3¼" (83 mm)	13½" x 16½" x 5½" (343 x 419 x 143 mm)
OCEANS <sup>®</sup> STYLE				
R3090*	TBL, TBK	(1) 9-10½" (230-270 mm) JBT roll (1) 5" (127 mm) stub roll	Min. 3¼" (83 mm)	12¼" x 16¾" x 5½" (311 x 425 x 140 mm)

Construction: Impact resistant plastic

## Single 9" JBT

- Designed to provide ease-of-use, with easy paper access and multi-directional tearing

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R2000*	TBL, TBK	(1) 9" (230 mm) JBT roll	3¼" (83 mm)	12" x 10¼" x 5½" (305 x 260 x 143 mm)
OCEANS® STYLE				
R2090*	TBL, TBK	(1) 9" (230 mm) JBT roll	3¼" (83 mm)	12" x 10¼" x 5½" (305 x 260 x 143 mm)

Construction: Impact resistant plastic



## Single 12" JBT

- Designed to provide ease-of-use, with easy paper access and multi-directional tearing
- EZ Turn™ mandrel dispenses large rolls of tissue smoothly

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R6000*	TBL, TBK	(1) 12" (305 mm) JBT roll	3¼" (83 mm)	14⅞" x 12 <sup>9</sup> / <sub>10</sub> " x 5 <sup>4</sup> / <sub>5</sub> " (378 x 328 x 147 mm)

Construction: Impact resistant plastic



## Quantum 12"-13" JBT

- Holds one 12"-13" jumbo bath roll and one 6" stub roll
- Continual availability of paper provided by the Infinity System®, eliminating stub roll waste

Item	Color	Capacity	Core Diameter	Dimensions H x W x D
CLASSIC STYLE				
R6500*	TBL, TBK	(1) 12-13" (305-330 mm) JBT roll (1) 6" (180 mm) stub roll	3¼" (83 mm)	16½" x 22" x 5½" (419 x 559 x 149 mm)

Construction: Impact resistant plastic



\* Specify desired color after item number: Example: R4000TBL

TBL	TBK	BKSS	SS	WHCL
Arctic Blue	Black Pearl	Black/ Stainless Look	Stainless Steel Look	White/ Clear

# SOAP & OTHER DISPENSERS

## ELECTRONIC TOUCHLESS

- San Jamar is now leading the way in solving your soap dispenser needs
- Dispensing bulk hand soap, foam soap or sanitizer in dispensers that coordinate with your other San Jamar restroom dispensers
- Now taking the San Jamar hands free dispensing expertise into the soap line with Rely® Hybrid Soap Dispenser



SHF970BKSS



## Rely® Hybrid Soap & Sanitizer Dispensers

- Touchless electronic soap & sanitizer dispensing
- Manual "Push-The-Cover" operation when batteries are low
- Accepts bulk hand sanitizers, lotion and foam soap

Item	Color	Capacity	Dimensions H x W x D
LIQUID & LOTION - CLASSIC STYLE			
SH900*	TBL, TBK	875 ml 1 ml or 0.5 ml portion dispensed	12" x 5.5" x 4" (305 x 140 x 102 mm)
LIQUID & LOTION - SUMMIT™ STYLE <b>NEW</b>			
SH970*	BKSS, SS, WHCL, CUSTOM	875 ml 1 ml or 0.5 ml portion dispensed	12" x 5.5" x 4" (305 x 140 x 102 mm)
FOAM - CLASSIC STYLE			
SHF900*	TBL, TBK	825 ml 1 ml or 0.5 ml portion dispensed	12" x 5.5" x 4" (305 x 140 x 102 mm)
FOAM - SUMMIT™ STYLE <b>NEW</b>			
SHF970*	BKSS, SS, WHCL, CUSTOM	825 ml 1 ml or 0.5 ml portion dispensed	12" x 5.5" x 4" (305 x 140 x 102 mm)

Construction: Impact resistant plastic

## Rely® Manual Soap & Sanitizer Dispensers

- Available in 900 & 1300 capacities
- Accepts bulk hand sanitizers, lotion and foam soap
- Mounts easily with adhesive or screws



SF1300TBK



SF970SS

Item	Color	Capacity	Dimensions H x W x D
LIQUID & LOTION - CLASSIC STYLE			
S900*	TBL, TBK	875 ml 0.5 ml portion dispensed	8.5" x 5" x 4" (216 x 127 x 102 mm)
S1300*	TBL, TBK	1300 ml 0.6 ml portion dispensed	10" x 5" x 4" (254 x 127 x 102 mm)
LIQUID & LOTION - SUMMIT™ STYLE <b>NEW</b>			
S970*	BKSS, SS, WHCL, CUSTOM	875 ml 0.5 ml portion dispensed	8.9" x 5.2" x 4" (227 x 132 x 102 mm)
FOAM - CLASSIC STYLE			
SF900*	TBL, TBK	825 ml 0.5 ml portion dispensed	8.5" x 5" x 4" (216 x 127 x 102 mm)
SF1300*	TBL, TBK	1300 ml 0.6 ml portion dispensed	10" x 5" x 4" (254 x 127 x 102 mm)
FOAM - SUMMIT™ STYLE <b>NEW</b>			
SF970*	BKSS, SS, WHCL, CUSTOM	825 ml 0.5 ml portion dispensed	8.9" x 5.2" x 4" (227 x 132 x 102 mm)

Construction: Impact resistant plastic



## Oceans® Soap & Hand Sanitizer Dispensers

- Accommodates bulk or most 800 ml bag-in-box cartridges
- Accepts bulk hand sanitizers or lotion soap
- Mounts easily with adhesive or screws

Item	Colors	Capacity	Dimensions H x W x D
OCEANS® STYLE			
S890*	TBL, TBK	800 ml (can hold some 1000 ml bags) 0.9 ml portion dispensed	10½" x 4½" x 4¾" (267 x 114 x 111 mm)

Construction: Impact resistant plastic



S890TBL

S890TBK

## Soap Dispensers - Lotion, Liquid or Foam

- Accommodates a wide variety of liquid, lotion (except pumice) and foam soaps
- Large push bar allows for easy dispensing

Item	Color	Capacity	Dimensions H x W x D
LIQUID & LOTION			
S30*	TBL, TBK	30 oz. (0.9 l) 0.8 ml portion dispensed	6½" x 4½" x 4¼" (156 x 105 x 108 mm)
S46*	TBL, TBK	46 oz (0.9 l) 0.6 ml portion dispensed	8" x 5½" x 4½" (206 x 137 x 108 mm)
FOAM			
SF30*	TBL, TBK	30 oz. (0.9 l) 0.4 ml portion dispensed	6½" x 4½" x 4¼" (156 x 105 x 108 mm)
SF46*	TBL, TBK	46 oz (0.9 l) 0.6 ml portion dispensed	8" x 5½" x 4½" (206 x 137 x 108 mm)

Construction: Impact resistant plastic



S30TBK

## Handwashing Station Value Pack


- Convenient solution to ensure employees have the tools to properly wash their hands

Item	Includes
T1730TBK	(1) T1700TBK Ultrafold™ Towel Dispenser with handwashing instructions sticker (1) S900TBK Rely Bulk Soap Dispenser

Construction: Impact resistant plastic



\* Specify desired color after item number: Example: SH900TBK



# OTHER DISPENSING SOLUTIONS



WD1010TP

## Kleen Keeper™ Wet Wipe Dispensers **NEW**

- Keeps Wipes Canister in one handy place for storage; but also removable to go where the spills are
- Lid and foot fold flat to wall when not in use
- Prevents theft of canisters - requires removal of canister seal to dispense wipes

Item	Color	Capacity	Dimensions H x W
WD1010*	WH, BKSS, TP	Large wipe canisters - 4" to 5" rim diameter	5¾" x 7" (146 x 177 mm)



TS510TBL

## Toilet Seat Cover Dispensers

- Hygienic and cost effective
- Reliable one-at-a-time dispensing

Item	Color	Capacity	Dimensions H x W x D
TS510*	TBL, TBK	(1) Package standard toilet seat covers	11¾" x 17¼" x 3⅞" (298 x 438 x 79 mm)

Construction: Impact resistant plastic

## Glove Dispensers

- Prevent boxes from becoming damaged or contaminated

Item	Color	Capacity	Construction
G0801	Stainless Steel	1 Box	22-gauge stainless steel
G0802	White	1 Box	22-gauge steel with white baked enamel
G0804	White	3 Boxes	22-gauge steel with white baked enamel
G0803	Clear	1 Box	High-grade flexible Plexiglas®
G0805	Clear	3 Boxes	High-grade flexible Plexiglas®

Construction: Impact resistant plastic  
 Plexiglas® is a registered trademark of Rohm and Haas.



## Mani-Kare® Dispenser **NEW**


- Pilferage-resistant with locked upper compartment
- Simple, one-handed operation for ease of use
- One-at-a-time dispensing to reduce waste
- Wall-mounted to save space
- Blue colored bandages also available

Item	Description	Dimensions H x W x D
MKBD100BE	Dispenser with Beige Bandage Cartridges Includes: (1) Large Patch, (1) Knuckle, (3) Strip Bandage cartridges, (1) quick User Guide, (1) Screw Pack	6.38" x 12" x 2" (162 x 305 x 51 mm)
REFILLS		
MKBR901BE	Beige Strip Bandage (3) cartridges of 10	1" x 3" (25 x 76 mm)
MKBR903BE	Beige Knuckle Bandage (3) cartridges of 10	1.5" x 3" (38 x 76 mm)
MKBR905BE	Beige Large Patch Bandage (3) cartridges of 10	2" x 3" (51 x 76 mm)
USER GUIDE		
MKQUGBE	Mani-Kare Quick User Guide Laminated wall chart	4" x 12" (102 x 305 mm)



MKBD100BE

\* Specify desired color after item number. Example: TS510TBK



# AIR CARE

## ARRIBA™ TWIST

- Arriba Twist System works anywhere you need quality air care and sustainable, earth friendly technology: commercial buildings, restaurants, schools, and healthcare facilities.
- Our dispensers combine an innovative Quickload™ design with a unique Advanced Capillary Science™ (ACS) delivery system to ensure consistent 60-day performance



### Arriba™ Twist Solaire™

- Battery-free fan dispersion
- Solar panels can harvest all forms of indoor lighting
- LED refill notification

Item	Color	Dimensions H x W x D
WS107 80 1207	Gray	7" x 3 1/8" x 3 1/2" (178 x 79 x 89 mm)
WS107 80 1208	White	7" x 3 1/8" x 3 1/2" (178 x 79 x 89 mm)

Requires 2 C-cell alkaline batteries



WF107 80 1206

### Arriba™ Twist Fan

- Battery operated model features an intermittent fan
- Sensor activated - will turn off when lights are turned off
- LED refill notification

Item	Color	Dimensions H x W x D
WF107 80 1204	Gray	7" x 3" x 3 1/2" (178 x 76 x 89 mm)
WF107 80 1206	White	7" x 3" x 3 1/2" (178 x 76 x 89 mm)

Requires 2 C-cell alkaline batteries



WP107 80 1203



WP9070BKSS

### Arriba™ Twist Passive

- No batteries required
- Simple and silent operation

Item	Color	Dimensions H x W x D
WP107 80 1202	Gray	2 7/8" x 4 5/8" x 2 7/8" (73 x 117 x 73 mm)
WP107 80 1203	White	2 7/8" x 4 5/8" x 2 7/8" (73 x 117 x 73 mm)
SUMMIT™ STYLE <b>NEW</b>		
WP9070*	BKSS, SS, WHCL, Custom	2 7/8" x 4 5/8" x 2 7/8" (73 x 117 x 73 mm)

## Arriba™ Starter Packs

- Continuous 60-day coverage
- Completely recyclable

Item	Fragrance	Description	Dimensions H x W x D
WP1202MB	Mango Burst	(1) WP107 80 1202 (2) RW107 80 1232	8"H x 3"W x 9"D (203 x 76 x 229 mm)
WP1202TW	Tropic Wave	(1) WP107 80 1202 (2) RW107 80 1228	8"H x 3"W x 9"D (203 x 76 x 229 mm)



WP1202MB


## Arriba™ Twist Fragrances

- Refills are recyclable
- Easy to change - top of refill is the key, just twist and refill
- Fresh scents for washrooms and front of the house areas

Item	Fragrance	Quantity
RW107 80 1226	English Garden	2.0 fl. oz. (60 ml)
RW107 80 1227	Pacific Glacier	2.0 fl. oz. (60 ml)
RW107 80 1228	Tropic Wave	2.0 fl. oz. (60 ml)
RW107 80 1230	Citrus Blossom	2.0 fl. oz. (60 ml)
RW107 80 1231	Pure Linen	2.0 fl. oz. (60 ml)
RW107 80 1232	Mango Burst	2.0 fl. oz. (60 ml)
RW107 80 1233	Crystal Pure	2.0 fl. oz. (60 ml)
RW107 80 1234	Prairie Flowers	2.0 fl. oz. (60 ml)
RW107 80 1255	<b>NEW</b> Cinnamon Stick	2.0 fl. oz. (60 ml)
RW107 80 1256	<b>NEW</b> Biscotti	2.0 fl. oz. (60 ml)
RW107 80 1257	<b>NEW</b> Hazelnut Coffee	2.0 fl. oz. (60 ml)



\* Specify desired color after item number: Example: WP9070SS





# NAPKIN DISPENSERS

## COUNTER/ WALL-MOUNT NAPKIN

- San Jamar's Venue® napkin dispensers offer optimal dispensing for a variety of napkin sizes including Minifold, Fullfold, and Interfold napkins
- Stackable countertop dispensers save room on your countertop and the unique Wall-Mount Venue is ideal where space is limited



MODH60050GN



MODH6003SN

## Modular Straw & Napkin **NEW** Combo Dispensers

- Two-in-one, over-under design reduces footprint & saves space
- Interchangeable lower dispensers to increase utility
- Smooth one-at-a-time napkin dispensing to save napkin waste
- Easy access to straws or condiments

Item	Description	Napkin Type	Dimensions H x W x D
MODH6003SN	Straw and Napkin Dispenser	Interfold	22.15" x 9.40" x 13.63" (563 x 239 x 346 mm)
MODH6003OGN	Organizer and Napkin Dispenser	Interfold	22.15" x 9.40" x 13.63" (563 x 239 x 346 mm)
MODH6005SN	Straw and Napkin Dispenser	Fullfold	22.15" x 9.40" x 13.68" (563 x 239 x 347 mm)
MODH6005OGN	Organizer and Napkin Dispenser	Fullfold	22.15" x 9.40" x 13.68" (563 x 239 x 347 mm)

NSF

## Venue® Countertop Napkin Dispenser

- Stackable design to save counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

Item	Color	Type	Capacity	Dimensions H x W x D
H5000*	CL, TBK	Minifold/Control Face	450+	6 $\frac{1}{8}$ " x 8" x 15 $\frac{3}{4}$ " (156 x 203 x 400 mm)
H5003*	CL, TBK	Interfold	450+	7 $\frac{1}{8}$ " x 8" x 15 $\frac{3}{4}$ " (181 x 203 x 400 mm)
H5004*	CL, TBK	Mini Interfold	450+	5 $\frac{7}{8}$ " x 8" x 15 $\frac{3}{4}$ " (149 x 203 x 400 mm)
H5005*	CL, TBK	Fullfold/Control Face	450+	7 $\frac{1}{8}$ " x 8" x 15 $\frac{3}{4}$ " (181 x 203 x 400 mm)

Construction: Impact resistant plastic

NSF

### NAPKIN FACEPLATE OPTIONS

#### INTERFOLD



INTERFOLD FACE

#### FULLFOLD



CLASSIC FACE

#### FULLFOLD & MINIFOLD




CONTROL FACE



H5005CL

### NAPKIN FOLDS AND SIZES



## Venue® Napkin Dispenser with Stand

- Stand model enhances image and saves counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

Item	Color	Type	Capacity	Dimensions H x W x D
H5000S*	CL, TBK	Minifold/Control Face	450+	17¼" x 8" x 13" (440 x 203 x 330 mm)
H5005S*	CL, TBK	Fullfold/Control Face	450+	17¾" x 8" x 13" (441 x 203 x 330 mm)

Construction: Impact resistant plastic



H5000SSTBK

## Venue® Wall Model Napkin Dispenser

- Mount to the wall to save valuable counter space
- One-at-a-time dispensing to save napkin waste
- Smooth dispensing down to the last napkin

Item	Color	Type	Capacity	Dimensions H x W x D
H5000P*	CL, TBK	Minifold/Control Face	500+	15¾" x 8" x 6½" (400 x 203 x 156 mm)
H5003P*	CL, TBK	Interfold	500+	15¾" x 8" x 7½" (400 x 203 x 181 mm)
H5004P*	CL, TBK	Mini Interfold	500+	15¾" x 8" x 5⅞" (400 x 203 x 149 mm)
H5005P*	CL, TBK	Fullfold/Control Face	500+	15¾" x 8" x 7½" (400 x 203 x 181 mm)

Construction: Impact resistant plastic



H5005PCL

## Countertop Napkin Dispensers

Item	Color	Type	Capacity	Dimensions H x W x D
H3001*	XC, BKC, CLBK, CLXC, TBK BK	Fullfold	300+	5½" x 7⅝" x 11" (140 x 194 x 279 mm)
H3005CLXC	CLXC	Fullfold/ Control Face	300+	5½" x 7⅝" x 11" (140 x 194 x 279 mm)

Construction: (Face) 18-gauge steel or poly carbonate plastic (Body) 20-gauge steel; (Base) high-impact plastic



H3001CLBK



H3005CLXC

Code	Face	Body
CLBK	Clear	Black
CLXC	Clear	Chrome
TBK BK	Black Pearl	Black
BKC	Chrome	Black
XC	Chrome	Chrome

\* Specify desired color after item number. Example: H5000SCL

**FACE**
 TBK Black Pearl
  CL Clear
  XC Chrome

**BODY**
 XC Chrome
  BK Black

# IN-COUNTER NAPKIN

- In-Counter napkin dispensers mount directly into the counter to save valuable counter space



7<sup>14</sup>/<sub>16</sub>" (195 mm)  
COUNTER HOLE DIMENSIONS  
5<sup>1</sup>/<sub>4</sub>" (140 mm)

H2005CLSS

Code	Face	Body
XC	Chrome	Chrome
CLSS	Clear	Stainless Steel
SS	Stainless Steel	Stainless Steel
SC	Satin Chrome	Satin Chrome
TBKSS	Black Pearl	Stainless Steel

## In-Counter Napkin Dispensers

- Space saving design for under the counter provides a neat, professional appearance
- Durable
- One-at-a-time dispensing of napkins

Item	Color	Type	Capacity	Dimensions H x W x D
H2000*	XC, SS, SC, TBKSS	Minifold	750+	19 <sup>5</sup> / <sub>8</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (498 x 178 x 140 mm)
H2000SS12	SS	Minifold	450+	13 <sup>3</sup> / <sub>4</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (349 x 178 x 140 mm)
H2001*	XC, SS, CLSS, SC	Fullfold/Classic Face	750+	19 <sup>5</sup> / <sub>8</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (498 x 178 x 140 mm)
H2001CLSS12	CLSS	Fullfold/Classic Face	450+	13 <sup>3</sup> / <sub>4</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (349 x 178 x 140 mm)
H2001SS12	SS	Fullfold/Classic Face	450+	13 <sup>3</sup> / <sub>4</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (349 x 178 x 140 mm)
H2005CLSS	CLSS	Fullfold/Control Face	750+	19 <sup>5</sup> / <sub>8</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (498 x 178 x 140 mm)
H2003CLSS	CLSS	Interfold	750+	19 <sup>5</sup> / <sub>8</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (498 x 178 x 140 mm)
H2003CLSS12	CLSS	Interfold	450+	13 <sup>3</sup> / <sub>4</sub> " x 7" x 5 <sup>1</sup> / <sub>2</sub> " (349 x 178 x 140 mm)

Construction: (Face) 18-gauge steel and ABS plastic; (Body) 22-gauge stainless steel



7" (178 mm)  
COUNTER HOLE DIMENSIONS  
5<sup>3</sup>/<sub>4</sub>" (133 mm)

H2003CLSC

Code	Face	Frame
CLBK	Clear	Black
CLSC	Clear	Satin Chrome
SC	Satin Chrome	Satin Chrome

## Venue® In-Counter Napkin Dispensers

- Control face restricts napkin usage, saving up to 30%
- High capacity, holds over 750 napkins
- Ability to convert easily for variety of napkin types

Item	Color	Type	Capacity	Dimensions H x W x D
H2005CLBK	CLBK	Fullfold/Control Face	750+	20"H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (507 x 184 x 224 mm)
H2003CLBK	CLBK	Interfold	750+	20 <sup>5</sup> / <sub>8</sub> "H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (518 x 184 x 224 mm)
H2003CLBK12	CLBK	Interfold	450+	12"H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (305 x 184 x 224 mm)
H2003CLSC	CLSC	Interfold	750+	20 <sup>5</sup> / <sub>8</sub> "H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (518 x 184 x 224 mm)
H2005SC	SC	Fullfold/Control Face	750+	20"H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (507 x 184 x 224 mm)
H2005CLSC	CLSC	Fullfold/Control Face	750+	20"H x 7 <sup>1</sup> / <sub>5</sub> "W x 8 <sup>4</sup> / <sub>5</sub> "D (507 x 184 x 224 mm)

Construction: (Face) ABS plastic; (Body) 22-gauge stainless steel

# TABLETOP NAPKIN

- Control and Interfold faceplates provide one-at-a-time dispensing to reduce napkin waste by 30%



H4005CTBK



H4006TBK

## Venue® Tabletop Napkin Dispenser

- Includes advertising insert space for in-house promotion
- Available with or without caddy
- Compact design

Item	Color	Type	Capacity	Dimensions H x W x D
H4000TBK	TBK	Minifold	200+	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 6 <sup>1</sup> / <sub>4</sub> " (124 x 191 x 159 mm)
H4003TBK	TBK	Interfold	200+	6 <sup>1</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 6 <sup>1</sup> / <sub>8</sub> " (159 x 191 x 156 mm)
H4004TBK	TBK	Mini Interfold	200+	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 6 <sup>1</sup> / <sub>4</sub> " (124 x 191 x 159 mm)
H4005TBK	TBK	Fullfold/Control face	200+	6 <sup>1</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 6 <sup>1</sup> / <sub>8</sub> " (159 x 191 x 156 mm)
H4006TBK	TBK	Compact Interfold	200+	6 <sup>3</sup> / <sub>8</sub> " x 5 <sup>1</sup> / <sub>2</sub> " x 5 <sup>1</sup> / <sub>4</sub> " (161 x 130 x 132 mm)
H4005CTBK	TBK	Fullfold Dispenser & Caddy	200+	6 <sup>1</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>4</sub> " x 6 <sup>1</sup> / <sub>8</sub> " (159 x 362 x 156 mm)
H400CTBK	TBK	Caddy only	N/A	2 <sup>3</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>4</sub> " x 6 <sup>1</sup> / <sub>8</sub> " (70 x 362 x 156 mm)

Construction: Impact resistant plastic



## Tabletop Napkin Dispensers

- Two-sided dispensing for easy accessibility

Item	Color	Type	Capacity	Dimensions H x W x D
<b>22-GAUGE STAINLESS STEEL</b>				
H900*	BK, X	Tallfold	150+	7 <sup>1</sup> / <sub>2</sub> " x 3 <sup>3</sup> / <sub>4</sub> " x 4" (191 x 95 x 102 mm)
H985*	BK, X	Lowfold	150+	5 <sup>1</sup> / <sub>2</sub> " x 3 <sup>3</sup> / <sub>4</sub> " x 4" (140 x 95 x 102 mm)
<b>HEAVY GAUGE STEEL</b>				
H4000	XC	Minifold	170+	4 <sup>1</sup> / <sub>2</sub> " x 7 <sup>3</sup> / <sub>4</sub> " x 6" (114 x 197 x 152 mm)
H4001XC	XC	Fullfold	170+	5 <sup>3</sup> / <sub>4</sub> " x 7 <sup>3</sup> / <sub>4</sub> " x 6" (146 x 197 x 152 mm)
<b>IMPACT RESISTANT PLASTIC</b>				
H950TBK	TBK	Compact Lowfold	150+	5 <sup>3</sup> / <sub>8</sub> " x 3 <sup>9</sup> / <sub>10</sub> " x 5 <sup>1</sup> / <sub>20</sub> " (142 x 100 x 129 mm)



\* Specify desired color after item number; Example: H900BK



INDEX

**G**

G0801 ..... 19  
 G0802 ..... 19  
 G0803 ..... 19  
 G0804 ..... 19  
 G0805 ..... 19

**H**

H400CTBK ..... 25  
 H900\* ..... 25  
 H950TBK ..... 25  
 H985\* ..... 25  
 H2000\* ..... 24  
 H2000SS12 ..... 24  
 H2001\* ..... 24  
 H2001CLSS12 ..... 24  
 H2001SS12 ..... 24  
 H2003CLBK ..... 24  
 H2003CLBK12 ..... 24  
 H2003CLSC ..... 24  
 H2003CLSS ..... 24  
 H2003CLSS12 ..... 24  
 H2005CLBK ..... 24  
 H2005CLSC ..... 24  
 H2005CLSS ..... 24  
 H2005SC ..... 24  
 H3001\* ..... 23  
 H3005CLXC ..... 23  
 H4000 ..... 25  
 H4000TBK ..... 25  
 H4001XC ..... 25  
 H4003TBK ..... 25  
 H4004TBK ..... 25  
 H4005CTBK ..... 25  
 H4005TBK ..... 25  
 H4006TBK ..... 25  
 H5000\* ..... 22  
 H5000P\* ..... 23  
 H5000S\* ..... 23  
 H5003\* ..... 22  
 H5003P\* ..... 23  
 H5004\* ..... 22  
 H5004P\* ..... 23  
 H5005\* ..... 22  
 H5005P\* ..... 23  
 H5005S\* ..... 23

**M**

MKBD100BE ..... 19  
 MKBR901BE ..... 19  
 MKBR903BE ..... 19  
 MKBR905BE ..... 19  
 MKQUGBE ..... 19  
 MODH6003OGN ..... 22  
 MODH6003SN ..... 22

MODH6005OGN ..... 22  
 MODH6005SN ..... 22

**R**

R200XC ..... 13  
 R260XC ..... 13  
 R1200XC ..... 13  
 R1500\* ..... 12  
 R2000\* ..... 15  
 R2090\* ..... 15  
 R3000\* ..... 14  
 R3090\* ..... 14  
 R3500\* ..... 12  
 R3590\* ..... 12  
 R3600\* ..... 11  
 R3670\* ..... 11  
 R3690\* ..... 11  
 R3800\* ..... 12  
 R4000\* ..... 14  
 R4070\* ..... 14  
 R4090\* ..... 14  
 R5000\* ..... 14  
 R6000\* ..... 15  
 R6500\* ..... 15  
 RW107 80 1226 ..... 21  
 RW107 80 1227 ..... 21  
 RW107 80 1228 ..... 21  
 RW107 80 1230 ..... 21  
 RW107 80 1231 ..... 21  
 RW107 80 1232 ..... 21  
 RW107 80 1233 ..... 21  
 RW107 80 1234 ..... 21  
 RW107 80 1235 ..... 21  
 RW107 80 1255 ..... 21  
 RW107 80 1256 ..... 21  
 RW107 80 1257 ..... 21

**S**

S30\* ..... 17  
 S46\* ..... 17  
 S890\* ..... 17  
 S900\* ..... 16  
 S970\* ..... 16  
 SI300\* ..... 16  
 SF30\* ..... 17  
 SF46\* ..... 17  
 SF900\* ..... 16  
 SF970\* ..... 16  
 SFI300\* ..... 16  
 SH900\* ..... 16  
 SH970\* ..... 16  
 SHF900\* ..... 16  
 SHF970\* ..... 16

**T**

T400\* ..... 7  
 T410\* ..... 7  
 T450\* ..... 7  
 T451XC ..... 7  
 T800\* ..... 8  
 T850\* ..... 8  
 T950\* ..... 8  
 T990\* ..... 8  
 TI100\* ..... 8  
 TI190\* ..... 8  
 TI300\* ..... 5  
 TI370\* ..... 5  
 TI390\* ..... 5  
 TI400\* ..... 4  
 TI470\* ..... 4  
 TI490\* ..... 4  
 TI700\* ..... 9  
 TI720\* ..... 10  
 TI730TBK ..... 17  
 TI750\* ..... 9  
 TI755\* ..... 9  
 TI759\* ..... 9  
 TI770\* ..... 9  
 TI790\* ..... 9  
 TI800\* ..... 10  
 TI900\* ..... 10  
 TI905\* ..... 10  
 TI950XC ..... 10  
 T7000\* ..... 6  
 T7090\* ..... 6  
 T7400\* ..... 4  
 T7470\* ..... 4  
 T8000\* ..... 6  
 T8006BKADA ..... 6  
 T8008BKUNV ..... 6  
 T8090\* ..... 6  
 T8300TBK ..... 5  
 T8370\* ..... 5  
 T8400\* ..... 5  
 T8406SSADA ..... 6  
 T8408SSUNV ..... 6  
 T8490\* ..... 5  
 TS510\* ..... 18

**W**

WD1010\* ..... 18  
 WFI07 80 1204 ..... 20  
 WFI07 80 1206 ..... 20  
 WPI07 80 1202 ..... 20  
 WPI07 80 1203 ..... 20  
 WPI202MB ..... 21  
 WPI202TW ..... 21  
 WP9070\* ..... 20

## 1. Terms and Method of Payment

- a. All orders are subject to approval and acceptance by SELLER. No order accepted by SELLER shall be subject to cancellation, termination, suspension, change, reduction, cutback or other modification except with SELLER'S prior written consent.
- b. Our standard terms of payment are net 30 days from invoice date. The amount of terms of credit, if extended, may be changed or credit withdrawn by SELLER at any time. No orders will be shipped on a COD basis.
- c. Prices do not include federal, state or local taxes, duties or other levies, now or hereafter enacted, applicable to the items deliverable under the sales order or invoice (hereinafter called ITEMS), which taxes, duties, or other levies will be added by SELLER to the sales price and will be paid by BUYER unless BUYER provides SELLER with a proper exemption certificate.
- d. Packaging for commercial shipment is included in the contract price. Any special packaging, crating or shipping instructions must be noted on BUYER'S original order and acknowledged by SELLER.

## 2. Title and Delivery

The ITEMS shall be delivered F. O. B. SELLER'S plant, and title thereto shall pass to BUYER, upon SELLER'S delivery of the ITEMS to a common carrier for shipment to BUYER. All items from the San Jamar catalog may be combined to obtain prepaid freight, regardless of the shipping point. Freight is prepaid on all orders totaling \$2,000 net or more to one destination within the contiguous 48 United States. Freight on prepaid International Shipments will be paid on normal ground transportation from shipping point to the consignee. When the order qualifies for prepaid freight, Seller shall have the right to select the means of transportation. If Buyer requires a means of transportation other than the one normally selected by Seller, any extra cost incurred by reason of using such other means shall be paid by Buyer. Palletized international orders requiring heat treated pallets will be charged \$4.25 net per pallet. International orders requiring heat treated certified bark-free pallets will be charged \$18.50 net per pallet. Any accessorial charges incurred because of a customer request will be the responsibility of the requester. Any items backordered from a prepaid shipment will be forwarded prepaid. Items backordered from ex works shipments will be forwarded ex works.

## 3. Inspection and Acceptance

Thoroughly inspect all shipments. Do not accept a damaged or short shipment until exception is noted on the freight bill. BUYER will be held responsible for all shipments with freight bills signed free and clear. If concealed damage is discovered, contact the freight company immediately for inspection. Concealed damage must be reported to the carrier within 7 days of receipt. All damaged goods and shortages that are not properly documented and reported upon receipt become the sole responsibility of the BUYER.

## 4. Patent Indemnification

SELLER shall protect and indemnify BUYER and its directors, officers, agents and employees against all claims for damages or profits, including all reasonable costs incurred by BUYER in connection therewith, arising from infringement of patents, copyrights, trademarks or misappropriation of designs.

## 5. Returns and Cancellations

No returns will be accepted without an authorization number from Carlisle Customer Service. An authorization number may be obtained by calling 800 248 9826 and requesting a Return Authorization from Customer Service.



## TERMS AND CONDITIONS

All requests for return must occur within 90 days of the original shipment of the product unless special authorization is obtained. Merchandise returned without authorization will be refused and returned to the customer, freight collect.

Any merchandise must be returned freight prepaid, and is subject to a minimum of 20% restocking charge.

All returned goods must reference the original invoice and purchase order. Returned goods must be in original standard packs and in unused salable condition. Special Order Products and discontinued items will not be accepted for exchange or return.

This includes any articles custom imprinted or modified for purchaser.

### 6. General

- a. All prices are list and subject to change without notice. Orders from authorized accounts will be accepted with the understanding that prices are those in effect at the time of shipment. These prices are exclusive of all sales taxes which may be levied by State, Federal, or City governments.
- b. Orders less than \$100.00 net will be charged a \$10.00 handling fee. The initial order requirement for a new customer is \$2,000 net, and must be accompanied by a tax exemption certificate.
- c. Orders calling for less than a standard case pack will be charged \$5.00 net each per broken case.
- d. Orders requiring 3rd party freight billing will be assessed a \$5.00 per order processing charge. .
- e. No ITEMS to be furnished hereunder shall be exported by BUYER unless SELLER is first notified in writing of the intention to so export and all applicable regulations and licenses are complied with and obtained by BUYER or its customer.
- f. SELLER hereby certifies that the goods described herein of its manufacture will be produced in compliance with all applicable requirements of Sections 6, 7 and 12 of the Fair Labor Standards Act, as amended, and all order of the United States Department of Labor issued under Section 14 thereof. SELLER further certifies that it is in compliance with the Equal Employment Opportunity clause in Section 202, paragraphs 1 through 7 of Executive Order 11246, as amended, relative to equal employment opportunity and the implementing Rules and Regulations of the Office of Federal Contract Compliance.
- g. SELLER is not responsible for typographical errors made in any of its publications or for stenographic or clerical errors made in preparation of quotations, sales orders, acknowledgments, or invoices. All such errors are subject to correction.
- h. This agreement shall be governed by the laws of the state of Wisconsin.
- i. SELLER'S "Terms and Conditions" as set forth above shall govern all transactions. Any inconsistent terms of BUYER wherever set forth and whether oral or written, shall not be binding upon SELLER unless agreed to by SELLER in writing. No waiver or exception to any of the hereinabove enumerated conditions or any of the special terms and provisions relating to any order shall be binding upon SELLER unless agreed to in writing by SELLER.
- j. SELLER reserves the right to change or discontinue the color, design, component content or price of any ITEMS in SELLER'S catalog or published price lists without prior notice at any time.

The specifications and prices listed in this document are subject to change. San Jamar does not assume responsibility for typographical errors.

Limited Warranty – San Jamar warrants to the original purchaser of each new product of its manufacture for a period of one (1) year from the date of shipment, (or if shorter, the period of the product's normal useful life) that all parts shall be free from defects in material and workmanship under normal use and service.

The warranties defined herein shall not apply to any damage or defects created or arising from accident, misapplication, abuse, misuse, neglect, alteration, acts of God, vandalism, flood, fire or any other occurrences beyond the control of San Jamar.

Claims under the foregoing warranty will be honored only if San Jamar (i) has received the entire payment of the purchase price for the product with respect to which any such claim is made (ii) has received notification of the claim prior to the expiration of the one (1) year (or shorter) warranty period described above, and (iii) determines upon examination of the returned product that it is defective under the terms of such warranty.

San Jamar's sole obligation under the foregoing warranty and other claims related to any product shall be limited to, at San Jamar's option (i) repairing or (ii) replacing F.O.B. factory or any product which San Jamar determines is defective under the terms of such warranty.

THE FOREGOING WARRANTY AND REMEDIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTIES AND REMEDIES WHATSOEVER, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE, ALL OF WHICH SAN JAMAR HEREBY EXPRESSLY DISCLAIMS.

Return Policy – Product returned to San Jamar must have a Returned Goods Authorization (RGA) number from the Customer Care Department. It will be the customer's responsibility to cover freight charges, and a 20% Restocking Charge will be applicable to all returned product. To receive credit for returned goods, they must be returned in unopened cartons, be less than 90 days from date of invoice and not be an obsolete or phased out product, labeled with the RGA number, and returned within 30 days of the RGA being issued. Returns consistent with these parameters may be made at any time between January 1st and November 30th of any calendar year. No returns will be accepted in the month of December. Credit will be determined upon receipt and inspection of product. Any shipping discrepancies (i.e. shortages, damage, etc.) must be reported to the Customer Care department within 10 business days of receipt of product. Should you have any questions, please contact Customer Care at 800-248-9826 or [orders@sanjamar.com](mailto:orders@sanjamar.com).



**San Jamar**

555 Koopman Lane  
Elkhorn, Wisconsin 53121  
USA  
T: +1.262.723.6133  
F: +1.262.226.8664  
info@sanjamar.com  
www.sanjamar.com

**Canada**

3280 Bloor Street West  
Suite 1140  
11th Floor, Centre Tower  
Toronto, ON M8X 2X3  
CANADA  
T: +1.262.723.6133  
F: +1.262.226.8664  
canada@sanjamar.com

**Europe**

Schoorstraat 26a, bus 1  
2220 Heist-op-den-Berg  
BELGIUM  
T: +32 15 22 81 40  
F: +32 15 22 81 48  
emea@sanjamar.com

**México**

Av. Paseo de la Reforma No. 350 - 10  
Col. Juárez  
Deleg. Cuauhtemoc, CP 06600  
MEXICO, D.F.  
T: +52 (55) 3626 0772  
mexico@sanjamar.com