

# AutoFaucet® - With "Surround Sensor" Technology

## AutoFaucet® Products

| Description                                    | Kit | Single Hole Mount | 4" Center Set | 8" Center Set |
|--|-----|-------------------|---------------|---------------|
| Milano in Polished Chrome*                     | 1   | 401818            | 500478        | 500479        |
| Milano in Polished Chrome*                     | 2   | 500480            | 500481        | 500482        |
| Milano in Polished Chrome*                     | 3   | 500483            | 500484        | 500485        |
| Milano in Polished Chrome*                     | 4   | 500615            | 500616        | 500617        |
| Milano in Polished Chrome*                     | 5   | 750594            | 750399        | 750595        |
| Milano in Polished Chrome***                   | 6   | 500483-UPC        | 500484-UPC    | 500485-UPC    |
| Milano in Polished Brass*                      | 3   | 401824            | 500494        | 500495        |
| Milano in Polished Brass*                      | 4   | 750181            | 750182        | 750183        |
| Milano in Satin Nickel*                        | 3   | 500564            | 500565        | 500566        |
| Verona in Polished Chrome*                     | 1   | 750596            | 750597        | 750598        |
| Verona in Polished Chrome*                     | 2   | 500648            | 500649        | 500650        |
| Verona in Polished Chrome*                     | 3   | 500554            | 500572        | 500573        |
| Verona in Polished Chrome*                     | 4   | 500640            | 500641        | 500642        |
| Sienna in Polished Chrome*                     | 1   | 750644            | 750645        | 750646        |
| Sienna in Polished Chrome*                     | 3   | 500555            | 500574        | 500575        |
| Sienna in Polished Chrome*                     | 4   | 500645            | 500646        | 500647        |
| Capri in Polished Chrome*                      | 1   | 750647            | 750648        | 750649        |
| Capri in Polished Chrome*                      | 2   | 750084            | 750085        | 750086        |
| Capri in Polished Chrome*                      | 3   | 500556            | 500576        | 500577        |
| Capri in Polished Chrome*                      | 4   | 500651            | 500652        | 500653        |
| Venetian 3.5 in Polished Chrome Deck Mounted** | 2   | 750269            | 750270        | 750271        |
| Venetian 3.5 in Polished Chrome Deck Mounted** | 3   | 500609            | 500610        | 500611        |
| Venetian 3.5 in Polished Chrome Deck Mounted** | 4   | 750172            | 750173        | 750174        |
| Venetian 5.5 in Polished Chrome Deck Mounted** | 3   | 750099            | 750096        | 750095        |



Venetian Gooseneck  
3.5 or 5.5 inch wall mount

## Sink Wall-Mounted Faucets<sup>1</sup>

| Description                                    | Kit | 4" Center Set | 8" Center Set |
|--|-----|---------------|---------------|
| Venetian 3.5 in Polished Chrome Wall Mounted** | 2   | 750607        | 750612        |
| Venetian 3.5 in Polished Chrome Wall Mounted** | 4   | 750613        | 750608        |
| Venetian 5.5 in Polished Chrome Wall Mounted** | 3   | 750605        | 750604        |
| Venetian 5.5 in Polished Chrome Wall Mounted** | 4   | 750602        | 750600        |

<sup>1</sup> Sink Wall-Mounted Faucets Require 3 Mounting Holes

Kit 1 includes: spout and valve control module

Kit 2 includes: spout, valve control module and main supply hose (1/2" pipe x 3/8" comp. x 12" length)

Kit 3 includes: spout, valve control module, mixing valve and hot/cold supply hoses (3/8" comp x 3/8" comp. x 12" length)

Kit 4 includes: spout, valve control module, thermostatic mixing valve and hot/cold supply hoses (3/8" comp x 3/8" comp. x 12" length)

Kit 5 includes: spout, valve control module, mixing valve and hot/cold supply hoses (3/8" comp x 1/2" comp. x 12" length)

Kit 6 includes: 0.5 GPM spout, valve control module, mixing valve and hot/cold supply hoses (3/8" comp x 3/8" comp. x 12" length)

**Faucets can be ordered with Flow Control Aerators that deliver 0.5 GPM, 1.0 GPM, 1.5 GPM, 2.0 GPM or 2.2 GPM.**

\* AutoFaucet supplied with 1.5 GPM (5.7 L/min.) aerated flow


\*\* AutoFaucet supplied with 2.2 GPM (10.0 L/min.) laminar flow

\*\*\* AutoFaucet supplied with 0.5 GPM (2.3 L/min.) laminar flow

## Capacitance Sensing Technology

This innovative technology is value-engineered from the start to deliver consistent, cost-effective performance, long-term maintenance-free operation and customer delight through proprietary and patented components and unique advanced, accurate sensors.

Our AutoFaucet systems won't corrode or fail because our proprietary dry cam-gear design keeps all electronics away from water flow. The exclusive TC® technology enables our systems to be the most accurate on the market delivering error-free precise portion control and are sophisticated enough to compensate for users and the environment.



ADA COMPLIANT

© 2009 Rubbermaid Commercial Products, LLC  
3124 Valley Avenue, Winchester, VA 22601  
12/09 MP 7M TC 849 cata0071 rev05

Printed on recycled paper



Innovative Hygiene Solutions



Customer Service : 1-800-347-9800  
www.rcpworksmarter.com





Innovative Hygiene Solutions

# AutoFaucet®

## With "Surround Sensor" Technology



- Environmentally Efficient and Cost Effective
- Promotes Health and Wellness
- World-Class Reliability
- Easy Installation

# AutoFaucet<sup>®</sup>

## with Surround Sensor™ Technology

AutoFaucet sets the standard for reliability and user-friendly performance in automated faucet systems. Equipped with patented Surround Sensor™ Technology, AutoFaucet delivers water only when needed, which results in water savings of up to 70 percent.

### Encourages Healthy Hand Washing

- Touch-Free activation eliminates cross-contamination to help reduce the spread of germs
- Reliable activation encourages frequent use

### Saves Money and Reduces Labor

- Reduced water consumption lowers operating costs
- "Dry" cam-gear technology ensures trouble-free operation to reduce maintenance

### Health & Wellness

Recent studies indicate that public washroom users are 50 percent more likely to wash their hands in a touch-free washroom.



### User-Friendly Performance

Surround Sensor Technology creates a 3" omni-directional sensing zone guaranteeing activation every time.

## Washroom Design Options

### Aesthetically Superior Design Enhances Décor

Contemporary, stylish fixtures are available in a wide array of spout designs and finishes to enhance the image and coordinate with any washroom décor.



Verona



Milano



Innovative Hygiene Solutions



### Environmentally Efficient

AutoFaucet can reduce water usage to conserve precious resources and reduces cost.



up to **70%**  
Water Savings



### Easy Installation

All components are included and installation takes less than 10 minutes.

### World-Class Reliability - **DRY** Technology

Our patented dry cam-gear technology controls water flow. By eliminating solenoid valves, which fail, we ensure trouble-free operation.

- Requires less energy
- Electronics are separate from water

- **Energy Efficient**  
Available with optional AC Power or Battery Power — 400,000 cycles or three years.
- **Optional Thermostatic Mixing Valve**  
Guarantees that water temperature remains in the desired range.



**Venetian Gooseneck**  
3.5 or 5.5 inch deck, mounted  
Polished Chrome



Sienna



Capri

