

HIGH MILEAGE FLOOR FINISH

HMIS		NFPA	Personal protective equipment
Health	1	1	
Flammability	0	0	None / Aucune / Ninguno
Physical Hazard / Instability	0	0	

Version Number: 1 Preparation date: 2013-05-20

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: HIGH MILEAGE FLOOR FINISH

MSDS #: MS0301328
Product Code: 5104811, 5109638
Recommended use: • Industrial/Institutional

• Floor care

· This product is intended to be diluted prior to use

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersDiversey, Inc. - CanadaDiversey, Inc.2401 Bristol Circle8310 16th St.Oakville, Ontario L6H 6P1Sturtevant, Wisconsin 53177-1964Phone: 1-800-668-3131

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principal routes of exposure:Eye contact. Skin contact. Inhalation.Eye contact:May be mildly irritating to eyes.Skin contact:May be mildly irritating to skin.

Inhalation: None Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS#	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Diethylene glycol monoethyl ether	111-90-0	5 - 10%	5500	Not available	>5240 mg/m ³ (4 h)

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. If irritation develops, get medical attention. **Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.

Inhalation:No specific first aid measures are required.Ingestion:No specific first aid measures are required.

Aggravated Medical Conditions: None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Not applicable Unusual hazards: None known

Specific methods: No special methods required

HIGH MILEAGE FLOOR FINISH 1 of 4

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment

Environmental precautions No information available

and clean-up methods:

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions Skin and body protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Bulk density: No information available Appearance: Aqueous solution

Specific gravity: 1.035 Vapor density: No information available Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Solubility in other solvents: No information available

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.37 % by wt.

Explosion limits: - upper: Not determined - lower: Not determined

Evaporation Rate: No information available

Color: Clear White Odor: Solvent

Melting point/range: Not determined

Autoignition temperature: No information available

Density: 8.67 lbs/gal 1.04 Kg/L Flash point: > 200 °F > 93.4 °C Viscosity: No information available

VOC: 0.95 % * Dilution pH: 8.2 @ 1:0

10. STABILITY AND REACTIVITY

Stability: The product is stable

Hazardous polymerization does not occur Polymerization:

Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Dermal LD50 estimated to be greater than 5000 mg/kg; Oral LD50 estimated to be > 2000 mg/kg

See Section 3 **Component Information:**

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

HIGH MILEAGE FLOOR FINISH 2 of 4

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class: Not Regulated

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: BUFFING OR POLISHING COMPOUNDS

IMDG (Ocean) Bill of Lading Description: Same as DOT above.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Diethylene glycol monoethyl ether	111-90-0	-	X	-	-
Ammonia salt of modified acrylic polymer	Proprietary	-	-	-	-
Water	7732-18-5	-	-	=	-
Tributoxyethyl phosphate	78-51-3	-	-	=	-

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	5 - 10%			X

	Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants	
I	Diethylene glycol monoethyl ether	X			

SARA 311/312 Hazard Categories

Immediate: Delayed: Fire: Reactivity: Sudden Release of Pressure: -

Canada

WHMIS hazard class: Non-controlled

16. OTHER INFORMATION

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice:

• This product has been classified in accordance with hazard criteria of the Controlled Products

Regulations and the MSDS contains all the information required by the Controlled Products

Regulations

HIGH MILEAGE FLOOR FINISH 3 of 4

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

HIGH MILEAGE FLOOR FINISH 4 of 4