



SWEEPERS - WALK BEHIND

# SMARTVAC™ 464

The SmartVac Vacuum Sweeper is in a category all its own. This battery-operated unit will vacuum carpets and sweep floors at high productivity levels, automatically adjust to any surface, and even clean its own filter. See a return on investment in as little as a few months.

MAX PRODUCTIVITY

38,000 ft<sup>2</sup>

BATTERY RUN TIME

2.5 h

KEY SPECS

24" cleaning width  
11 gal capacity

MOST FREQUENT USE



LARGE TANK



INTUITIVE CONTROL PANEL



ADJUSTABLE HANDLE



INNOVATIONS




SOFT  
CLEANING  
SURFACE



## SLS™ SELF-LEVELLING SYSTEM

SLS™ System can be electric or mechanical and allows great cleaning performances thanks to a constant pressure on the floor.



## SOFT SURFACE CLEANING

Electronical or mechanical system that allows great cleaning performances thanks to a constant pressure on the floor.



# SMARTVAC



## .01 LARGE HOPPER

### SELF-LEVELING BRUSH

Automatically adjusts to any surface

## .02 ADJUSTABLE HANDLE

### ADJUSTABLE HANDLE

The handle can be completely pushed down, helping make storage easy.

### MICRO DUST FILTRATION

Filter with incorporated rubber gasket for maximum control of dust. Pre-filter also equipped to catch large fibers,



## Other Features

- Maintenance free sealed battery for up to 2.5 hours of continuous cleaning
- Ultra quiet at 55 dBa, allowing machine to be used at any time day or night
- Self cleaning filter system for optimum vacuum performance
- Micro dust filtration to assure clean air
- Main brush in a special "V" shape and long bristle design to assure deep cleaning
- Vacuum shut off for when sweeping wet areas
- Cleans 5x faster than a backpack vacuum and 10x faster than an upright vacuum
- Easy to transport
- Easy to use control panel
- Adjustable handlebar
- On-board battery charger
- Dust filter replacement without tools
- Main brush replacement without tools
- Side brush replacement without tools
- Pre-programmed working settings

## SMARTVAC 464

### PRODUCTIVITY

464

Max theoretical productivity	ft <sup>2</sup> /h - m <sup>2</sup>	38,000/ 2,800m <sup>2</sup>
Max working width	in/mm	24 in/ 625 mm
Hopper volume	Gal/ l	11 gal/ 35 l
Weight	lbs/ kg	91 lbs/ 51 kg
Noise level	dB	55 dBa
Run time	min	150

## AVAILABLE ACCESSORIES

### AGM BATTERY

FB860033030



## GET RIGHT SIZED

	Description	Continuous run-time	Theoretical ft <sup>2</sup> / h	Maximum Theoretical ft <sup>2</sup> /charge	Ft <sup>2</sup> charge efficiency (70%)
TK464E	Maintenance Free AGM Battery	2.5 h	38,186	95,464	66,825



Distributed by:  
AML Equipment  
10 Ryan Place, Unit #2 Brantford ON N3S 7S1  
Local: 519-754-2119 Toll Free: 1-866-343-6990