

TruShot 2.0™ MULTI-SURFACE, RESTROOM CLEANER & DISINFECTANT

ONE-STEP DISINFECTANT FOR NON-POROUS RESTROOM SURFACES.
FOR USE IN PUBLIC FACILITIES, SCHOOLS, HOTELS, BUSINESS AND OFFICE BUILDINGS.



Multi-surface, Restroom Cleaner & Disinfectant can be used on washable hard, non-porous surfaces of toilets, tubs, tile, walls, doorknobs, garbage cans, appliances, tables and countertops.

- Effective against a broad spectrum of bacteria, viruses, fungi and inhibits the growth of mold and mildew.
- Sanitizes 99.9% of bacteria in 15 seconds on hard, non-porous, non-food contact surfaces.

USE INSTRUCTIONS: Refer to label for complete use instructions.



CLICK
Durable Snap-in technology



FILL
Refill at any water source



CLEAN
Portable lightweight comfort

PRODUCT CODE	PACKAGE SIZE DESCRIPTION	IN-USE QUARTS
4000010158	4x 296 mL Cartridge	296 mL concentrate = up to 26.5 in-use litres
4000010168	4x TruShot 2.0™ trigger sprayer	

PRODUCT CODE	COLOUR	pH	pH AT DILUTION	DENSITY	FRAGRANCE	SHELF LIFE
4000010158	Clear	12.5	11	1.00g/cm ³	Fresh	2 years

Incompatible Materials: Do not mix with bleach or any other cleaner. Strong bases.



TruShot 2.0™ Multi-Surface, Restroom Cleaner & Disinfectant is EFFECTIVE AGAINST:

1 MINUTE CONTACT TIME:

Viruses: *Influenza Type A / Hong Kong (Influenza); *HIV-1

3 MINUTE CONTACT TIME:

Bacteria: *Pseudomonas aeruginosa* [*Pseudomonas*]; *Salmonella enterica* (*Salmonella*); *Staphylococcus aureus* (*Staph*); *Acinetobacter baumannii* (*Acinetobacter*); *Bordetella bronchiseptica* (*Kennel cough*); *Bordetella pertussis* (*whooping cough*); *Campylobacter jejuni* (*Campylobacter*); *Enterococcus faecalis* (*Enterococcus*); *Enterococcus faecalis* - *Vancomycin resistant* (VRE); *ESBL Escherichia coli* (*Extended spectrum beta-lactamase producing E. coli*); *Escherichia coli* (*E. coli*); *Escherichia coli O157:H7*; *Klebsiella pneumoniae* (*Klebsiella*); *Klebsiella pneumoniae*, *Carbapenem-resistant*; *Listeria monocytogenes*; *Proteus vulgaris*; *Shigella dysenteriae* (*Shigella*); *Shigella flexneri serotype 1B*; *Shigella sonnei*; *Staphylococcus aureus* - *Community Associated Methicillin-Resistant* (CA-MRSA) (NRS384) (USA300); *Staphylococcus aureus* - *Methicillin-Resistant* (MRSA); *Staphylococcus aureus* - *Vancomycin Intermediate Resistant* - (VISA); *Streptococcus pyogenes* (*Strep*) (*a cause of scarlet fever*); *Vibrio cholerae*; *Yersinia enterocolitica*

Viruses: *Hepatitis B Virus (HBV); *Hepatitis C Virus (HCV); *Herpes Simplex Virus Type 1; *Herpes Simplex Virus Type 2; *Human Coronavirus; *Respiratory Syncytial Virus (RSV); *Rotavirus; Vaccinia (Pox Virus), SARS-Related Coronavirus 2 (SARS-CoV-2).

Animal Viruses: Canine Distemper Virus; Newcastle's Disease Virus

Fungi: *Candida albicans*; *Trichophyton interdigitale* (the Athlete's Foot Fungus)

10 MINUTE CONTACT TIME:

Bacteria: *Staphylococcus aureus* - *Community Associated Methicillin-Resistant* (CA-MRSA) (NRS123) (USA400); *Staphylococcus aureus* - *Multi-Drug Resistant*

Viruses: *SARS Associated Coronavirus (SARS) (cause of Severe Acute Respiratory Syndrome)
Kills Pandemic 2009 H1N1 influenza A virus
Kills SARS-CoV-2 (the virus that causes COVID-19).

SAFETY PRACTICES TO FOLLOW

It's good business practice to ensure that your employees have read and understood the product labels and Safety Data Sheet before using this product. The label use directions and SDS contain important hazard warnings, precautionary statements and first aid procedures.

This information is available on-line at www.scjcp.com or by calling 1-888-332-7627.

Improper use of product may damage surfaces and may result in physical harm to the user.

Use only as directed. Use biocides safely. Always read label and product information before use.

