

# Specification Information

**Product Code: 702** 


Product Name: Manual Foam Soap or Sanitizer Dispenser

**Individual Carton UPC:** 624622702014

Individual Carton Shipping Dimensions: 12.7cm W x 25.4cm H x 12.7cm D (5" W x 10" H x 5" D)

**Individual Carton Shipping Weight**: 0.9kg (2 lbs)

**Site Location:** Frost's 702 manual foam soap or sanitizer dispenser is practical, economical, and durable. This unit has a bulk filled reservoir which allows the end user to save costs and buy soap/sanitizer in bulk from various suppliers instead of locking into a cartridge system. Typically, these products are used in schools, malls, restaurants, office buildings, recreational facilities, and other commercial properties. For locations requiring a cost efficient foam soap solution, this dispenser is an ideal choice.



#### Features:

- The high quality ABS provides a durable and inexpensive option for the end user
- Removable and refillable soap/sanitizer reservoir allows for easy cleaning and maintenance while helping the user to save costs on bulk foam soap/sanitizer
- Comes with a locking front cover to protect against vandalism and pilferage, key provided
- Completely concealed wall mounting with no visible mounting screws
- The soap indicator window allows staff to quickly see the remaining soap levels and can plan maintenance accordingly
- The unit can be mounted with screws or adhesive (both provided)

**Dispensing:** Frost's 702 dispenses soap or sanitizer manually by pressing the front lip of the unit toward the mounted surface. When dispensing, the 702 provides the user with 20ml (0.7 US oz.) of foamed soap/sanitizer. This product is also universal; meaning, the unit is non-proprietary and dispenses soap from standard commercial soap suppliers. This allows the end user to avoid getting locked into soap/sanitizer supply contracts and should save them money on their janitorial supplies. To refill this product, use the provided key to unlock the unit and expose the reservoir. Once unlocked, refill with desired and compatible soap/sanitizer.

### Capacity:

The bulk filled reservoir holds 1 litre (33.8 US oz.) of foaming soap/sanitizer

Frost Products Ltd 5276 John Lucas Drive Burlington, ON, Canada, L7L5Z9

(905) 332-5700 1-800 667-5094

info@frostproductsltd.com www.Frostproductsltd.com



# Specification Information

#### **Materials:**

- Robust high quality ABS
- Finished in an attractive white and black colour scheme

### **Product Dimensions:**

• 11.2cm W x 24.9cm H x 11.2cm D (4.4" W x 9.8 H x 4.4" D)

## **Product Weight:**

• 0.6kg (1.3 lbs)

**Installation Guidelines:** For unrestricted access, bottom of the unit to floor must be between 38.1cm to 121.9cm (15" to 48"). This dispenser comes with standard combination screws, plugs, and a template. Mark mounting holes against the mounting surface using a pencil and level. Use a screwdriver or power drill to drill screws and back plate in the desired mounting surface and attach the dispenser. Alternately use adhesive pads on smooth dry surfaces. Please note that it is recommended that all installations be conducted by a qualified tradesperson. Failure to do so may result in serious injury. Please read and follow any additional installation guidelines provided with the products.

Maintenance: Normal preventative maintenance and cleaning will keep Frost products functioning properly and may extend normal product life. Products should be wiped down with a damp soft cloth periodically. Approved stainless steel cleaner may be used to clean scuffs or fingerprints on stainless surfaces. Do not use harsh detergents or chemical cleaners. For general dirt and blemishes on painted steel or plastic use warm water and mild soap, or a general mild cleaning solution. When using any type of cleaning solution, spray onto a discrete area to test before full usage. After the cleaning agent is applied, wipe off with a clean soft cloth or sponge. It is recommended that units be periodically rinsed out with warm water to prevent soap build up that may hinder the performance of the valve. It is also recommended that users avoid harsh chemical cleaners when cleaning the outside of the unit.

**Warranty:** If any product or part proves to be defective within 12 months from date of shipment from the factory it will be repaired or replaced without any charge including freight costs when authorized. Costs resulting from the installation or removal of defective products are not covered under this warranty. Discolouration to stainless steel parts resulting from exposure to harsh environmental and / or chemicals are not considered to be defects in workmanship or material and are not covered under warranty.