




THE SEQUEL IS NEVER THIS GOOD.

The new cordless
GoFree® Flex Pro II from ProTeam.

New motor, new runtimes & lighter weight.

ProTeam®



BOOST PRODUCTIVITY

You've never cleaned like this before.

With a high/low power switch and two battery options, the new GoFree Flex Pro II brings greater versatility and comfort to professional cleaners. By cleaning at a rate **30% faster** than a corded backpack and **5x faster** than an upright vacuum, the GoFree Flex Pro II will save you time and money. Created by the company with more than three decades of experience in productive, durable, clean-air vacuums.

FREEDOM OF MOVEMENT
FlexFit® articulating harness is responsive to the motion of your shoulders, back and hips—increasing comfort and reducing fatigue



NOTICEABLY QUIETER
Only 63.9 dBA (low) and 65.9 dBA (high)

LIGHTWEIGHT BATTERY OPTION
Clean with the longest runtime, approx. 101 mins. on low with 12 Ah or go lightweight with the 6 Ah battery with shorter total runtime

BRUSHLESS MOTOR
With no carbon brushes to change, the motor has a longer life and emits no carbon dust

HIGH/LOW SETTINGS
Conserve runtime by tackling routine cleaning on low, then switch to high for deep cleaning

CLEAN AIR BACKPACK
ProLevel Filtration system, featuring multiple levels of filters, helps reduce allergens in the indoor environment

ProTeam is a proud partner of the American Lung Association.



The American Lung Association does not endorse product, device or service.

EASY TO READ CHARGE STATUS
Lit display allows you to see charge levels



TWO BATTERY OPTIONS
6 Ah or 12 Ah



HIGH/LOW POWER SWITCH
High - High Traffic, Deep Clean
Low - Daily Clean



LIGHTWEIGHT
15.5 lbs. (6 Ah)
17.5 lbs. (12 Ah)



CORDLESS CLEANING



Lightweight cordless vacuums set you free from restrictions. Without the potential tripping hazard of a cord, vacuuming is safer and easier. Cordless vacuums eliminate time-consuming cord management tasks and allow you to take the most efficient path through a space.

| | GoFree Flex Pro II | |
|--|---|--|
| Motor Airflow | 58 CFM (low) 65 CFM (high) | |
| Static Lift | 67 in. (low) 81 in. (high) | |
| Power | 36 VDC / 240 W (low) 345 W (high) | |
| Decibel | 63.9 dBA (low) 65.9 dBA (high) | |
| Capacity | 6 qt. / 6.6 L | |
| ProLevel Filtration® w/ Four Levels of Filtration | 1054 sq. in total area | |
| *ProLevel Filtration System with HEPA Media | Captures 99.72% at 0.3-.5 microns per ASTM F3150 | |
| Battery Type | Lithium Ion | |
| Certification | UL Listed to US and Canadian safety standards. | |
| | 6 Ah | 12 Ah |
| Approx. Runtime | 50 min. (low) 35 min. (high) | 101 min. (low) 73 min. (high) |
| Approx. Full Charge Time | 1.5 hrs. | 3 hrs. |
| Minimum Charge Cycles | 500 | 850 |
| Weight | 15.5 lbs. | 17.5 lbs. |
| Warranty | 3 yrs - parts, labor 2 yrs - motor and charger 1 yr - battery Lifetime - molded body parts | 3 yrs - parts, labor 2 yrs - motor, battery & charger Lifetime - molded body parts |

CFM = Cubic Feet per Minute dBA = A-Weighted Decibel Value Ah = Amp Hours

SPECIFICATION CALCULATIONS ARE BASED ON AVERAGE MOTOR PERFORMANCE.
 *The filtration value of ProTeam's ProLevel Filtration System in this vacuum is achieved by the use of a multi-stage filtration system, including intercept micro filter, micro cloth filter, plastic cage with foam filter, and post-motor filter made from HEPA media, as tested per ASTM F3150.



proteam.emerson.com
 866.888.2168 | customerservice.proteam@emerson.com

